

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

### **SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Ajax Spray n' Wipe Bathroom

Product code : B02956450000

200000042739

Manufacturer or supplier's details

Address : Colgate-Palmolive Pty Ltd., 345 George St, Sydney, New South

Wales, Australia 2000.

Telephone : CONSUMER AFFAIRS: - AU 1800 802 307 (Mon – Fri 7 - 5)

Emergency telephone number : CHEMTREC Australia +(61)-290372994

Global-CHEMTREC- +1 703-741-5970

Recommended use of the chemical and restrictions on use

Recommended use : spray cleaner

### **SECTION 2. HAZARDS IDENTIFICATION**

**GHS Classification** 

Serious eye damage/eye irri-

tation

Category 1

**GHS label elements** 

Hazard pictograms

T.

Signal word : DANGER

Hazard statements : H318 Causes serious eye damage.

Precautionary statements : Prevention:

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 26.03.2018
1.2 15.09.2020 660000002457 Date of first issue: 12.12.2016

and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

### Other hazards which do not result in classification

None known.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Lactic Acid	79-33-4	>= 1 -< 3
SODIUM DODECYL BENZENE SULFONATE	25155-30-0	>= 1 -< 3
DIPROPYLENE GLYCOL BUTYL ETHER	29911-28-2	>= 1 -< 3
Limonene	138-86-3	>= 0.1 -< 1

### **SECTION 4. FIRST AID MEASURES**

General advice : If poisoning occurs, immediately contact a doctor or Poisons

Information Centre (Phone Australia 131126; New Zealand

0800 764 766), and follow the advice given.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

Most important symptoms and effects, both acute and

delayed

Causes serious eye damage.

Notes to physician : Treat symptomatically.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.2

Revision Date: 15.09.2020

SDS Number: 660000002457

Date of last issue: 26.03.2018 Date of first issue: 12.12.2016

#### **SECTION 5. FIREFIGHTING MEASURES**

Unsuitable extinguishing

media

High volume water jet

Specific hazards during fire-

fighting

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod: :

ucts

No hazardous combustion products are known

Specific extinguishing meth-

ods

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Special protective equipment:

for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essarv.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

tive equipment and emer-

gency procedures

Personal precautions, protec- : Use personal protective equipment.

Prevent product from entering drains. Environmental precautions

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Neutralize with chalk, alkali solution or ammonia.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

### **SECTION 7. HANDLING AND STORAGE**

Advice on protection against :

fire and explosion

Normal measures for preventive fire protection.

Advice on safe handling Do not breathe vapours/dust.

> Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

Hygiene measures : When using do not eat or drink.

When using do not smoke.

Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : Do not store near acids.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Colour : colourless

pH : 3.3



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

Flash point : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reac-

tions

No decomposition if stored and applied as directed.

Conditions to avoid : No data available

Incompatible materials : Not applicable

## **SECTION 11. TOXICOLOGICAL INFORMATION**

### **Acute toxicity**

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg

Method: Calculation method

# **Components:**

**Lactic Acid:** 

Acute oral toxicity : LD50 (Rat): 3,730 mg/kg

Acute inhalation toxicity : LC50 (Rat): 7.94 mg/l

Exposure time: 4 h

Test atmosphere: No information available.

Method: No information available.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Method: No information available.

#### **SODIUM DODECYL BENZENE SULFONATE:**

Acute oral toxicity : LD50 (Rat): 1,080 mg/kg



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 26.03.2018
1.2 15.09.2020 660000002457 Date of first issue: 12.12.2016

Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

**DIPROPYLENE GLYCOL BUTYL ETHER:** 

Acute oral toxicity : LD50 (Rat): 3,160 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 2.04 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Limonene:

Acute oral toxicity : LD50 (Rat): 5,300 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

# Skin corrosion/irritation

Not classified based on available information.

Components:

**Lactic Acid:** 

Assessment : Causes severe burns.

**SODIUM DODECYL BENZENE SULFONATE:** 

Species : Rabbit

Method : OECD Test Guideline 404

Result : Skin irritation

**DIPROPYLENE GLYCOL BUTYL ETHER:** 

Result : No skin irritation

Limonene:

Result : Irritating to skin.

Remarks : May cause skin irritation and/or dermatitis.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

# Serious eye damage/eye irritation

Causes serious eye damage.

### **Components:**

Lactic Acid:

Result : Risk of serious damage to eyes.

### **SODIUM DODECYL BENZENE SULFONATE:**

Species : Rabbit Result : Corrosive

Method : OECD Test Guideline 405

### **DIPROPYLENE GLYCOL BUTYL ETHER:**

Result : No eye irritation

Limonene:

Remarks : No data available

Remarks : Vapours may cause irritation to the eyes, respiratory system

and the skin.

### Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

# Respiratory sensitisation

Not classified based on available information.

### **Components:**

# **Lactic Acid:**

Exposure routes : Inhalation

Result : Does not cause respiratory sensitisation.

: Dermal

: Does not cause skin sensitisation.

## **SODIUM DODECYL BENZENE SULFONATE:**

Exposure routes : Inhalation

Remarks : No data available

Dermal

Species : Guinea pig

Result : Does not cause skin sensitisation.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

### **DIPROPYLENE GLYCOL BUTYL ETHER:**

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : Does not cause skin sensitisation.

Limonene:

Exposure routes : Inhalation

Remarks : No data available

: Dermal

Result : May cause sensitisation by skin contact.

Remarks : Causes sensitisation.

# **Chronic toxicity**

#### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

# Reproductive toxicity

Not classified based on available information.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

# **Product:**

Remarks : This product has not been tested as a whole. However, this

formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the

statements in Section 2 of the SDS.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 26.03.2018 1.2 15.09.2020 660000002457 Date of first issue: 12.12.2016

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity** 

**Components:** 

**Lactic Acid:** 

Toxicity to fish LC50 (Fish): 320 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia (water flea)): 240 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): 3,500

mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available:

# **SODIUM DODECYL BENZENE SULFONATE:**

Toxicity to fish : LC50 (Fish): 6.926 mg/l

> Exposure time: 96 h Test Type: static test

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 6.3 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

EC50 (algae): 65.4 mg/l

Exposure time: 72 h

Toxicity to fish (Chronic tox-

icity)

NOEC (Fish): 3.96 mg/l

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 1.65 mg/l

Exposure time: 21 d

### **DIPROPYLENE GLYCOL BUTYL ETHER:**

Toxicity to fish LC50 (Poecilia reticulata (guppy)): 180 - 230 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 26.03.2018 1.2 15.09.2020 660000002457 Date of first issue: 12.12.2016

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)): 519

mg/l

Exposure time: 96 h

Toxicity to fish (Chronic tox-

icity)

No data available:

Toxicity to daphnia and other : aquatic invertebrates (Chron-

No data available:

ic toxicity)

Limonene:

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna Straus): 31 mg/l

Exposure time: 48 h

Persistence and degradability

**Components:** 

**Lactic Acid:** 

Biodegradability Result: Readily biodegradable.

**SODIUM DODECYL BENZENE SULFONATE:** 

Result: rapidly degradable Biodegradability

Biodegradation: > 60 %

Method: OECD Test Guideline 301F

**DIPROPYLENE GLYCOL BUTYL ETHER:** 

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

**Lactic Acid:** 

: Remarks: No data available Bioaccumulation

Partition coefficient: n-

octanol/water

log Pow: -0.65

SODIUM DODECYL BENZENE SULFONATE:

Bioaccumulation Bioconcentration factor (BCF): 70.19

Partition coefficient: n-

octanol/water

log Pow: 1.96 (25 °C)

**DIPROPYLENE GLYCOL BUTYL ETHER:** 



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

Bioaccumulation : Bioconcentration factor (BCF): 2.58

Partition coefficient: n-

octanol/water

log Pow: 1.52

Mobility in soil

No data available

Other adverse effects

**Product:** 

Additional ecological infor-

mation

: No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

**Disposal methods** 

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

## **SECTION 14. TRANSPORT INFORMATION**

ADG (Australian Dangerous

**Goods) 7.6** 

Not regulated.

NZS (New Zealand's Standards) :

5433

Not regulated.

IATA :

Not regulated.

IMDG :

Not regulated.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 26.03.2018

 1.2
 15.09.2020
 660000002457
 Date of first issue: 12.12.2016

ADR :

Not regulated.

#### **SECTION 15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform Scheduling of Medicines and

No poison schedule number allocated

Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or

notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory

legislation.

The components of this product are reported in the following inventories:

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

# **SECTION 16. OTHER INFORMATION**

Revision Date : 15.09.2020

Date format : dd.mm.yyyy

# Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version Revision Date: SDS Number: Date of last issue: 26.03.2018
1.2 15.09.2020 660000002457 Date of first issue: 12.12.2016

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN